



POLIFILM PRODUCT PORTFOLIO

PE FILMS | VAPOUR BARRIER FILMS

POLIFILM PRODUCT PORTFOLIO

PE FILMS | VAPOUR BARRIER FILMS



VAPOUR BARRIER FILMS FIRE CLASS E

| THICKNESS μm | WITH mm | LENGHT m | ROLLS PER PALETT | PALETT HIGH mm | PALETT WIDTH mm | PALETT LENGTH mm | FOLDING |
|-------------------------|---------|----------|------------------|----------------|-----------------|------------------|---------|
| 125 | 4.000 | 25 | 50 | 1.070 | 1.050 | 1.210 | |
| 200 | 4.000 | 25 | 52 | 1.660 | 1.050 | 1.200 | |





CONSTRUCTION FILMS TRANSLUCENT | Sustainable due to use of recycled materials

| THICKNESS μm | WITH mm | LENGHT m | ROLLS PER PALETT | PALETT HIGH mm | PALETT WIDTH mm | PALETT LENGTH mm | FOLDING |
|-------------------------|---------|----------|------------------|----------------|-----------------|------------------|---------|
| 30 (Typ50) | 4.000 | 50 | 75 | 1.200 | 1.050 | 1.200 | |
| 30 (Typ50) | 4.000 | 100 | 75 | 1.200 | 1.050 | 1.200 | |
| 78 (Typ120) | 4.000 | 50 | 60 | 1.650 | 1.050 | 1.200 | |
| 90 (Typ150) | 4.000 | 25 | 75 | 1.300 | 1.050 | 1.200 | |
| 100 | 2.000 | 50 | 75 | 1.310 | 1.050 | 1.200 | |
| 100 | 4.000 | 25 | 75 | 1.310 | 1.050 | 1.200 | |
| 100 | 4.000 | 50 | 52 | 1.300 | 1.010 | 1.200 | |
| 120 | 2.000 | 50 | 75 | 1.380 | 1.010 | 1.200 | |
| 120 | 4.000 | 50 | 46 | 1.590 | 1.010 | 1.200 | |
| 120 (Typ200) | 4.000 | 25 | 75 | 1.380 | 1.010 | 1.200 | |
| 120 (Typ200) | 4.000 | 50 | 46 | 1.590 | 1.010 | 1.200 | |
| 130 (Typ200) | 2.000 | 50 | 52 | 1.600 | 1.050 | 1.200 | |
| 130 (Typ200) | 4.000 | 25 | 52 | 1.600 | 1.010 | 1.200 | |
| 130 (Typ200) | 4.000 | 50 | 46 | 1.640 | 1.050 | 1.220 | |
| 150 | 4.000 | 25 | 75 | 1.740 | 1.050 | 1.200 | |
| 200 | 2.000 | 50 | 52 | 1.640 | 1.050 | 1.200 | |
| 200 | 4.000 | 25 | 52 | 1.640 | 1.050 | 1.200 | |
| 200 | 4.000 | 50 | 33 | 1.350 | 1.050 | 1.370 | |
| 300 | 4.000 | 25 | 44 | 1.560 | 1.050 | 1.220 | |
| 400 | 4.000 | 25 | 27 | 1.350 | 1.050 | 1.220 | |
| 500 | 4.000 | 25 | 27 | 1.890 | 1.050 | 1.220 | |

CONSTRUCTION FILMS COLOURED OPAQUE | Sustainable due to use of recycled materials

| THICKNESS µm | WITH mm | LENGHT m | ROLLS PER PALETT | PALETT HIGH mm | PALETT WIDTH mm | PALETT LENGTH mm | FOLDING |
|-----------------|------------|-------------|---------------------|-------------------|--------------------|---------------------|---|
| 98 (Typ150) | 4.000 | 50 | 50 | 1.470 | 1.010 | 1.200 |  |
| 100 | 4.000 | 50 | 52 | 1.300 | 1.010 | 1.200 | |
| 120 | 4.000 | 50 | 46 | 1.580 | 1.050 | 1.200 | |
| 130 (Typ200) | 4.000 | 25 | 52 | 1.160 | 1.050 | 1.200 | |
| 130 (Typ200) | 4.000 | 50 | 46 | 1.620 | 1.050 | 1.200 | |
| 140 (Typ200) | 4.000 | 50 | 46 | 1.730 | 1.050 | 1.200 | |
| 150 (Typ200) | 4.000 | 50 | 39 | 1.400 | 1.050 | 1.200 |  |
| 150 | 4.000 | 50 | 44 | 1.550 | 1.050 | 1.200 | |
| 200 | 4.000 | 25 | 52 | 1.630 | 1.050 | 1.200 | |
| 200 | 4.000 | 50 | 33 | 1.350 | 1.050 | 1.200 | |
| 300 | 4.000 | 25 | 44 | 1.550 | 1.010 | 1.200 | |
| 400 | 4.000 | 25 | 27 | 1.350 | 1.050 | 1.200 | |
| 500 | 4.000 | 25 | 27 | 1.890 | 1.050 | 1.200 | |

PE FILMS TRANSPARENT - FOR COVER & CONSTRUCTION PURPOSES

| THICKNESS µm | WITH mm | LENGHT m | ROLLS PER PALETT | PALETT HIGH mm | PALETT WIDTH mm | PALETT LENGTH mm | FOLDING |
|-----------------|------------|-------------|---------------------|-------------------|--------------------|---------------------|---|
| 50 | 2.000 | 50 | 100 | 1.200 | 1.010 | 1.200 |  |
| 50 | 4.000 | 50 | 75 | 1.320 | 1.050 | 1.200 |  |
| 60 | 2.000 | 50 | 100 | 1.350 | 1.010 | 1.200 |  |
| 100 | 2.000 | 50 | 75 | 1.320 | 1.010 | 1.200 |  |
| 100 | 4.000 | 25 | 75 | 1.320 | 1.010 | 1.200 | |
| 100 | 4.000 | 50 | 52 | 1.360 | 1.050 | 1.220 | |
| 200 | 4.000 | 25 | 52 | 1.660 | 1.050 | 1.200 | |